

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/620,863	07/15/2003	Niranjan Thirukkovalur	200208989-1	9129
	7590 01/25/200 CKARD COMPANY	EXAMINER		
P O BOX 27240	00, 3404 E. HARMON	RUTHKOSKY, MARK		
INTELLECTUAL PROPERTY ADMINISTRATION FORT COLLINS, CO 80527-2400			ART UNIT	PAPER NUMBER
			1745	
SHORTENED STATUTOR	Y PERIOD OF RESPONSE	MAIL DATE	DELIVER	Y MODE
3 MONTHS		01/25/2007	PAPER	

Please find below and/or attached an Office communication concerning this application or proceeding.

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.

		.4 /			
	Application No.	Applicant(s)			
	10/620,863	THIRUKKOVALUR ET AL.			
Office Action Summary	Examiner	Art Unit			
	Mark Ruthkosky	1745			
The MAILING DATE of this communication a Period for Reply	ppears on the cover sheet w	ith the correspondence address			
A SHORTENED STATUTORY PERIOD FOR REP WHICHEVER IS LONGER, FROM THE MAILING - Extensions of time may be available under the provisions of 37 CFR after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory perions. - Failure to reply within the set or extended period for reply will, by state Any reply received by the Office later than three months after the main earned patent term adjustment. See 37 CFR 1.704(b).	DATE OF THIS COMMUNI 1.136(a). In no event, however, may a not will apply and will expire SIX (6) MOI ute, cause the application to become A	CATION. reply be timely filed NTHS from the mailing date of this communication. BANDONED (35 U.S.C. § 133).			
Status					
1) Responsive to communication(s) filed on 26	October 2006.				
2a)⊠ This action is FINAL . 2b)□ Th					
3) Since this application is in condition for allow	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is				
closed in accordance with the practice under	r <i>Ex par</i> te Quayle, 1935 C.[). 11, 453 O.G. 213.			
Disposition of Claims					
4)⊠ Claim(s) <u>1-7 and 31-38</u> is/are pending in the	application.				
4a) Of the above claim(s) is/are withdr	rawn from consideration.				
5) Claim(s) is/are allowed.					
6) Claim(s) <u>1-7 and 31-38</u> is/are rejected.	•				
7) Claim(s) is/are objected to.					
8) Claim(s) are subject to restriction and	/or election requirement.				
Application Papers					
9) The specification is objected to by the Exami	ner.				
10) The drawing(s) filed on is/are: a) □ ad	ccepted or b) objected to	by the Examiner.			
Applicant may not request that any objection to the	ne drawing(s) be held in abeya	nce. See 37 CFR 1.85(a).			
Replacement drawing sheet(s) including the corre	· ·	`, '			
11) The oath or declaration is objected to by the □	Examiner. Note the attache	d Office Action or form PTO-152.			
Priority under 35 U.S.C. § 119					
12) Acknowledgment is made of a claim for foreig a) All b) Some * c) None of:	gn priority under 35 U.S.C.	§ 119(a)-(d) or (f).			
1.☐ Certified copies of the priority docume	nts have been received.				
2. Certified copies of the priority docume		application No			
3. Copies of the certified copies of the pr	iority documents have been	received in this National Stage			
application from the International Bure	au (PCT Rule 17.2(a)).				
* See the attached detailed Office action for a list	st of the certified copies not	received.			
Attachment(s)					
1) Notice of References Cited (PTO-892)		Summary (PTO-413)			
2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08)		s)/Mail Date nformal Patent Application			
Paper No(s)/Mail Date	6)				

DETAILED ACTION

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 1-7 are rejected under 35 U.S.C. 103(a) as being unpatentable over Nanjo et al. (JP 2001-052,727.)

The instant claims are to a fuel cell system, comprising at least first and second fuel cells, each of the fuel cells having at least one reactant inlet line and at least one output outlet; and a first heater arrangement operably connected to the at least one output outlet of the first fuel cell and associated with the at least one reactant inlet line of the second fuel cell such that heat from the first heater arrangement is transferred to reactants in the at least one reactant inlet line of the second fuel cell.

Nanjo et al. (JP 2001-052,727) teaches a fuel cell system comprising a fuel cell having at least one reactant inlet line and at least one output outlet, and a first and second heater arrangement operably connected to the at least one output outlet of the fuel cell and associated with the at least one reactant inlet line of the fuel cell, such that heat from the heater arrangement is transferred to reactants in the at least one reactant inlet line of the fuel cell (see the abstract.) Heaters are disclosed at the fuel and oxidant inlets of the fuel cell (see the figures, including figure 1 and the corresponding text.) Additional reactant sources are located downstream from

the heater at an inlet valve arrangement as taught in figure 4. The reactant lines include recycling valves for exhaust flow to a burner and to a valve in the oxidant inlet line upstream from the heater (figures 1-4.)

Page 3

Nanjo et al. (JP 2001-052,727) does not teach a fuel cell system comprising at least first and second fuel cells, wherein a heater arrangement is operably connected to the at least one output outlet of the first fuel cell and associated with the at least one reactant inlet line of the second fuel cell such that heat from the first heater arrangement is transferred to reactants in the at least one reactant inlet line of the second fuel cell. It would have been obvious to one of ordinary skill in the art at the time the invention was made to employ the heating process of Nanjo et al. (JP 2001-052,727), which teaches using the exhaust of a fuel cell to heat the reactant at the inlet of the same fuel cell, to heat the reactants of another fuel cell. Preheating the reactants for the fuel cell provides improved generating efficiency and use effectiveness of the fuel cell (paragraph 7.) It would have been obvious to one of ordinary skill in the art at the time the invention was made to heat an identical fuel cell using the methodology taught in Nanjo et al. (JP 2001-052,727,), as it will heat the fuel cell reactants in an equivalent manner. With regard to claim 4, it would have been obvious to one of ordinary skill in the art at the time the invention was made to employ the heating process of Nanjo et al. (JP 2001-052,727), which teaches using the exhaust of a fuel cell to heat the reactant at the inlet of the same fuel cell, to heat the reactants of multiple fuel cells, as preheating the reactants provides improved generating efficiency and use effectiveness of the fuel cell, as previously noted, (see paragraph 7.) The artesian would have found the claimed invention to be obvious in light of the teachings of the references.

Claims 31-35 and 37-38 are rejected under 35 U.S.C. 103(a) as being unpatentable over Nanjo et al. (JP 2001-052,727), as previously applied, in view of Gagnon (US 4,098,960.)

Nanjo et al. (JP 2001-052,727) teaches a fuel cell system comprising a fuel cell having at least one reactant inlet line and at least one output outlet, and a first and second heater arrangement operably connected to the at least one output outlet of the fuel cell and associated with the at least one reactant inlet line of the fuel cell, such that heat from the heater arrangement is transferred to reactants in the at least one reactant inlet line of the fuel cell (see the abstract.)

Heaters are disclosed at the fuel and oxidant inlets of the fuel cell (see the figures, including figure 1 and the corresponding text.) Additional reactant sources are located downstream from the heater at an inlet valve arrangement as taught in figure 4. The reactant lines include recycling valves for exhaust flow to a burner and to a valve in the oxidant inlet line upstream from the heater (figures 1-4.)

Nanjo et al. (JP 2001-052,727) does not teach an inlet valve associated with the at least one reactant inlet line of a second fuel cell and located downstream from the first heater arrangement; and an isolation valve associated with the at least one reactant inlet line of the second fuel cell and located upstream from the first heater arrangement. Gagnon (US 4,098,960) teaches a fuel cell control system for a plurality of fuel cells aligned in series wherein each fuel cell includes valves both upstream and downstream from the individual fuel cells in the system (see figure 2.) The fuel cells may be individually isolated from one another and the system by closing the valves. The system includes a main reactant inlet line and individual inlet lines for each individual fuel cell (figure 2.) A controller is taught to include a processor, an actuator,

pressure sensors and a valve system (see the claims, figures 1-2 and col. 7.) It would have been obvious to one of ordinary skill in the art at the time the invention was made to employ the heating process of Nanjo et al. (JP 2001-052,727), which teaches using heat from the reactant exhaust of a fuel cell to preheat the reactants at the inlet of the fuel cell, to heat the reactants of a subsequent fuel cell in the arrangement taught in the invention of Gagnon using the preheating system of Nanjo. Preheating the reactants for the fuel cell provides improved generating efficiency and use effectiveness of the fuel cell (paragraph 7, abstract.) From this, it would be obvious to one of ordinary skill in the art to use exhaust heat from one fuel cell to heat the reactants for a subsequent fuel cell. It would have been obvious to one of ordinary skill in the art at the time the invention was made to heat an identical fuel cell using the methodology taught in Nanjo et al., as it will heat the fuel cell reactants in an equivalent manner by using the exhaust of a fuel cell to heat the reactant at the inlet of an adjacent fuel cell. Using a valve arrangement to isolate the individual fuel cells is well described in Gagnon. One of ordinary skill in the art would understand from this teaching in the art that fuel cells may be bypassed or isolated from use in the system because a fuel cell or a number of fuel cells are not needed to power a lower energy load or to isolate a fuel cell that has malfunctioned. It would have been obvious to one of ordinary skill in the art at the time the invention was made to place valves in the system, as taught in Gagnon to allow for heating of the fuel cell or to prevent heating of a fuel cell if it is not in use. The artesian would have found the claimed invention to be obvious in light of the teachings of the references.

With regard to the operation of the system and function of the controller, it is noted that the prior art teaches a controller as noted in Gagnon. The process of operating the fuel cell does

not further limit the product, a fuel cell. MPEP 2113 states, "Even though product-by-process claims are limited by and defined by the process, determination of patentability is based on the product itself. The patentability of a product does not depend on its method of production. If the product in the product-by-process claim is the same as or obvious from a product of the prior art, the claim is unpatentable even though the prior product was made by a different process."

Claim 36 is rejected under 35 U.S.C. 103(a) as being unpatentable over Nanjo et al. (JP 2001-052,727), as applied to the above claims, in view of Wheat (US 2003/0049504.)

The teachings of Nanjo et al. (JP 2001-052,727) have been presented. The reference does not teach the heater to be electrically powered. Wheat (US 2003/0049504), however teaches a heater for heating the stack and the reactants that is electrically powered (claims 1-2, paragraph 15.) Electricity is added to the heater and the resistance of the materials produces heat. It would have been obvious to one of ordinary skill in the art at the time the invention was made to use an electric heater to heat the reactants of the fuel cell taught in Nanjo, as the heater provides improved generating efficiency and use effectiveness of the fuel cell (paragraph 7.) Using an electric heater would be obvious to one of ordinary skill in the art to provide heat.

The artesian would have found the claimed invention to be obvious in light of the teachings of the references.

Response to Arguments

Applicant's arguments filed 10/26/2006 have been fully considered but they are not persuasive. Applicant argues that the modification of the prior art is based on nothing more than

the examiner's opinion and the allegation that there is noting in the prior art of record that remotely suggests the purportedly obvious modification of the prior art. This argument is not persuasive because the prior art teaches the means and the desirability for heating a fuel cell reactant by using the exhaust of a fuel cell in a heat exchanging relationship. This same means may be used to heat the reactants for another fuel cell by using the exhaust of a first fuel cell in the heat-exchange arrangement taught in the art. The motivation to modify the reference is to provide heat to a fuel cell reactant, which is taught in the art to give improved generating efficiency and use effectiveness in the fuel cell, as noted in the rejection. One of ordinary skill in the art would be motivated to modify the teachings in order to give these improvements to a fuel cell or additional fuel cells in the same system. As each fuel cell operates, it generates more heat, which may be efficiently used, as taught in the prior art, to heat the inflow of reactants for subsequent fuel cells using the heater arrangement taught in Nanjo et al. (JP 2001-052,727.)

Conclusion

Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37

Application/Control Number: 10/620,863

Art Unit: 1745

CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Examiner Correspondence

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Mark Ruthkosky whose telephone number is 571-272-1291. The examiner can normally be reached on FLEX schedule (generally, Monday-Thursday from 9:00-6:30.) If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Patrick Ryan can be reached at 571-272-1292. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free.)

Mark Ruthkosky
Primary Patent Examiner

Page 8

Art Unit 1745

Multithy 1.18.2007